

**D-Sub – Accessories for subminiature D connectors**

Page

Accessories .....

**08.02**

## Accessories

Identification	No. of contacts	Part No.	Drawing	Dimensions in mm
Female screw locks without nut	9-50	09 67 000 9972 <sup>1)</sup>		
	9-50	09 67 000 9974 <sup>1)</sup>		
	Thread UNC/UNC Thread UNC/M3	9-50 9-50	09 67 001 9976 <sup>1)</sup> 09 67 001 9974 <sup>1)</sup>	
Thread UNC/UNC Thread UNC/M3	9-50 9-50	09 67 001 9941 <sup>1)</sup> 09 67 001 9954 <sup>1)</sup>		
for press-in connectors with grounding-pins or straight solder with grounding-clips.	9-50	09 66 000 9972 <sup>1)</sup>		
	9-50	09 66 000 9974 <sup>1)2)</sup>		
Thread UNC/UNC Thread UNC/M3	9-50 9-50	09 66 000 9972 <sup>1)</sup> 09 66 000 9974 <sup>1)2)</sup>		
with captive washer	9-50	09 67 001 9957 <sup>1)</sup>		
Thread UNC/UNC	9-50	09 67 001 9957 <sup>1)</sup>		

D-Sub - A

1) Order 2 for each connector  
2) M3 inner thread available on request

## Accessories

Identification	No. of contacts	Part No.	Drawing	Dimensions in mm
<b>Female screw locks with nut</b>  Thread UNC/UNC Thread UNC/M3  Thread UNC/UNC	9-50 9-50  9-50	09 67 000 9922 <sup>1)</sup> 09 67 000 9924 <sup>1)</sup>  09 67 000 9973 <sup>1)</sup>		
<b>Male screw locks for use without hood</b>	9-37 50	09 67 001 9969 <sup>1)</sup> 09 67 001 9970 <sup>1)</sup>		
<b>Hex extender</b>  Thread 4-40 UNC Thread M3	9-50 9-50	09 67 001 9985 09 67 002 9120		
<b>U-Clip with thread 4-40 UNC</b>	9-50	09 67 001 9928 <sup>1)</sup>		
<b>U-Clip with thread 4-40 UNC and screw-lock</b>	9-50	09 67 002 9030 <sup>1)</sup>		

<sup>1)</sup> Order 2 for each connector


## Accessories

Identification	No. of contacts	Part No.	Drawing	Dimensions in mm																																																																																																																																																																										
<b>Dust cap</b> black thermoplastic	for male connector	9		<table border="1"><thead><tr><th></th><th>A</th><th>B</th></tr></thead><tbody><tr><td>9</td><td>17.0</td><td>22.40</td></tr><tr><td>15</td><td>25.3</td><td>30.80</td></tr><tr><td>25</td><td>38.9</td><td>44.40</td></tr><tr><td>37</td><td>55.4</td><td>60.75</td></tr></tbody></table>		A	B	9	17.0	22.40	15	25.3	30.80	25	38.9	44.40	37	55.4	60.75																																																																																																																																																											
				A	B																																																																																																																																																																									
		9		17.0	22.40																																																																																																																																																																									
		15		25.3	30.80																																																																																																																																																																									
	25	38.9	44.40																																																																																																																																																																											
	37	55.4	60.75																																																																																																																																																																											
	15	09 67 015 0611		<table border="1"><thead><tr><th></th><th>A</th><th>B</th></tr></thead><tbody><tr><td>9</td><td>16.0</td><td>22.5</td></tr><tr><td>15</td><td>24.4</td><td>31.0</td></tr><tr><td>25</td><td>37.8</td><td>44.3</td></tr><tr><td>37</td><td>54.3</td><td>60.8</td></tr></tbody></table>		A	B	9	16.0	22.5	15	24.4	31.0	25	37.8	44.3	37	54.3	60.8																																																																																																																																																											
		A		B																																																																																																																																																																										
9	16.0	22.5																																																																																																																																																																												
15	24.4	31.0																																																																																																																																																																												
25	37.8	44.3																																																																																																																																																																												
37	54.3	60.8																																																																																																																																																																												
25	09 67 025 0611	for female connector	9	09 67 009 0711	15	09 67 015 0711	25	09 67 025 0711	37	09 67 037 0711																																																																																																																																																																				
37	09 67 037 0611		<b>antistatic</b> black thermoplastic	for male connector	9		<table border="1"><thead><tr><th></th><th>A</th><th>B</th><th>C</th><th>D</th></tr></thead><tbody><tr><td>9</td><td>17.7</td><td>21.8</td><td>13.2</td><td>9.1</td></tr><tr><td>15</td><td>26.0</td><td>30.0</td><td>13.2</td><td>9.1</td></tr><tr><td>25</td><td>40.0</td><td>44.2</td><td>13.2</td><td>9.1</td></tr><tr><td>37</td><td>56.4</td><td>59.8</td><td>13.2</td><td>9.1</td></tr><tr><td>50</td><td>53.9</td><td>57.8</td><td>15.9</td><td>11.7</td></tr></tbody></table>		A	B	C	D	9	17.7	21.8	13.2	9.1	15	26.0	30.0	13.2	9.1	25	40.0	44.2	13.2	9.1	37	56.4	59.8	13.2	9.1	50	53.9	57.8	15.9	11.7	15	09 67 015 0612	for female connector	9	09 67 009 0712	15	09 67 015 0712	25	09 67 025 0712	37	09 67 037 0712	50	09 67 050 0712	25	09 67 025 0612		<table border="1"><thead><tr><th></th><th>A</th><th>B</th><th>C</th><th>D</th></tr></thead><tbody><tr><td>9</td><td>15.9</td><td>20.0</td><td>11.8</td><td>7.8</td></tr><tr><td>15</td><td>24.4</td><td>28.5</td><td>11.8</td><td>7.8</td></tr><tr><td>25</td><td>38.3</td><td>42.3</td><td>11.8</td><td>7.8</td></tr><tr><td>37</td><td>54.7</td><td>58.8</td><td>11.8</td><td>7.8</td></tr><tr><td>50</td><td>52.6</td><td>56.2</td><td>14.5</td><td>10.5</td></tr></tbody></table>		A	B	C	D	9	15.9	20.0	11.8	7.8	15	24.4	28.5	11.8	7.8	25	38.3	42.3	11.8	7.8	37	54.7	58.8	11.8	7.8	50	52.6	56.2	14.5	10.5	37	09 67 037 0612	<b>UL 94 V0</b> grey thermoplastic	for male connector	9		<table border="1"><thead><tr><th></th><th>A</th><th>B</th><th>C</th><th>D</th></tr></thead><tbody><tr><td>9</td><td>17.7</td><td>21.8</td><td>13.2</td><td>9.1</td></tr><tr><td>15</td><td>26.0</td><td>30.0</td><td>13.2</td><td>9.1</td></tr><tr><td>25</td><td>40.0</td><td>44.2</td><td>13.2</td><td>9.1</td></tr><tr><td>37</td><td>56.4</td><td>59.8</td><td>13.2</td><td>9.1</td></tr><tr><td>50</td><td>53.9</td><td>57.8</td><td>15.9</td><td>11.7</td></tr></tbody></table>		A	B	C	D	9	17.7	21.8	13.2	9.1	15	26.0	30.0	13.2	9.1	25	40.0	44.2	13.2	9.1	37	56.4	59.8	13.2	9.1	50	53.9	57.8	15.9	11.7	15	09 67 015 0613	for female connector	9	09 67 009 0713	15	09 67 015 0713	25	09 67 025 0713	37	09 67 037 0713	50	09 67 050 0713	25	09 67 025 0613		<table border="1"><thead><tr><th></th><th>A</th><th>B</th><th>C</th><th>D</th></tr></thead><tbody><tr><td>9</td><td>15.9</td><td>20.0</td><td>11.8</td><td>7.8</td></tr><tr><td>15</td><td>24.4</td><td>28.5</td><td>11.8</td><td>7.8</td></tr><tr><td>25</td><td>38.3</td><td>42.3</td><td>11.8</td><td>7.8</td></tr><tr><td>37</td><td>54.7</td><td>58.8</td><td>11.8</td><td>7.8</td></tr><tr><td>50</td><td>52.6</td><td>56.2</td><td>14.5</td><td>10.5</td></tr></tbody></table>		A	B	C	D	9	15.9	20.0	11.8	7.8	15	24.4	28.5	11.8	7.8	25	38.3	42.3	11.8	7.8	37	54.7	58.8	11.8	7.8	50	52.6	56.2	14.5	10.5	37	09 67 037 0613	08-04			
<b>antistatic</b> black thermoplastic	for male connector	9					<table border="1"><thead><tr><th></th><th>A</th><th>B</th><th>C</th><th>D</th></tr></thead><tbody><tr><td>9</td><td>17.7</td><td>21.8</td><td>13.2</td><td>9.1</td></tr><tr><td>15</td><td>26.0</td><td>30.0</td><td>13.2</td><td>9.1</td></tr><tr><td>25</td><td>40.0</td><td>44.2</td><td>13.2</td><td>9.1</td></tr><tr><td>37</td><td>56.4</td><td>59.8</td><td>13.2</td><td>9.1</td></tr><tr><td>50</td><td>53.9</td><td>57.8</td><td>15.9</td><td>11.7</td></tr></tbody></table>		A	B	C	D	9	17.7	21.8	13.2	9.1	15	26.0	30.0	13.2	9.1	25	40.0	44.2	13.2	9.1	37	56.4	59.8	13.2	9.1	50	53.9	57.8	15.9	11.7																																																																																																																																									
							A	B	C	D																																																																																																																																																																				
		9					17.7	21.8	13.2	9.1																																																																																																																																																																				
		15					26.0	30.0	13.2	9.1																																																																																																																																																																				
		25		40.0		44.2	13.2	9.1																																																																																																																																																																						
	37	56.4		59.8	13.2	9.1																																																																																																																																																																								
	50	53.9		57.8	15.9	11.7																																																																																																																																																																								
	15	09 67 015 0612		for female connector	9	09 67 009 0712	15	09 67 015 0712	25	09 67 025 0712	37	09 67 037 0712	50	09 67 050 0712																																																																																																																																																																
	25	09 67 025 0612				<table border="1"><thead><tr><th></th><th>A</th><th>B</th><th>C</th><th>D</th></tr></thead><tbody><tr><td>9</td><td>15.9</td><td>20.0</td><td>11.8</td><td>7.8</td></tr><tr><td>15</td><td>24.4</td><td>28.5</td><td>11.8</td><td>7.8</td></tr><tr><td>25</td><td>38.3</td><td>42.3</td><td>11.8</td><td>7.8</td></tr><tr><td>37</td><td>54.7</td><td>58.8</td><td>11.8</td><td>7.8</td></tr><tr><td>50</td><td>52.6</td><td>56.2</td><td>14.5</td><td>10.5</td></tr></tbody></table>		A	B	C	D	9	15.9	20.0	11.8	7.8	15	24.4	28.5	11.8	7.8	25	38.3	42.3	11.8	7.8	37	54.7	58.8	11.8	7.8	50	52.6	56.2	14.5	10.5																																																																																																																																										
		A	B			C	D																																																																																																																																																																							
9	15.9	20.0	11.8			7.8																																																																																																																																																																								
15	24.4	28.5	11.8			7.8																																																																																																																																																																								
25	38.3	42.3	11.8	7.8																																																																																																																																																																										
37	54.7	58.8	11.8	7.8																																																																																																																																																																										
50	52.6	56.2	14.5	10.5																																																																																																																																																																										
37	09 67 037 0612	<b>UL 94 V0</b> grey thermoplastic	for male connector	9		<table border="1"><thead><tr><th></th><th>A</th><th>B</th><th>C</th><th>D</th></tr></thead><tbody><tr><td>9</td><td>17.7</td><td>21.8</td><td>13.2</td><td>9.1</td></tr><tr><td>15</td><td>26.0</td><td>30.0</td><td>13.2</td><td>9.1</td></tr><tr><td>25</td><td>40.0</td><td>44.2</td><td>13.2</td><td>9.1</td></tr><tr><td>37</td><td>56.4</td><td>59.8</td><td>13.2</td><td>9.1</td></tr><tr><td>50</td><td>53.9</td><td>57.8</td><td>15.9</td><td>11.7</td></tr></tbody></table>		A	B	C	D	9	17.7	21.8	13.2	9.1	15	26.0	30.0	13.2	9.1	25	40.0	44.2	13.2	9.1	37	56.4	59.8	13.2	9.1	50	53.9	57.8	15.9	11.7	15	09 67 015 0613	for female connector	9	09 67 009 0713	15	09 67 015 0713	25	09 67 025 0713	37	09 67 037 0713	50	09 67 050 0713	25	09 67 025 0613		<table border="1"><thead><tr><th></th><th>A</th><th>B</th><th>C</th><th>D</th></tr></thead><tbody><tr><td>9</td><td>15.9</td><td>20.0</td><td>11.8</td><td>7.8</td></tr><tr><td>15</td><td>24.4</td><td>28.5</td><td>11.8</td><td>7.8</td></tr><tr><td>25</td><td>38.3</td><td>42.3</td><td>11.8</td><td>7.8</td></tr><tr><td>37</td><td>54.7</td><td>58.8</td><td>11.8</td><td>7.8</td></tr><tr><td>50</td><td>52.6</td><td>56.2</td><td>14.5</td><td>10.5</td></tr></tbody></table>		A	B	C	D	9	15.9	20.0	11.8	7.8	15	24.4	28.5	11.8	7.8	25	38.3	42.3	11.8	7.8	37	54.7	58.8	11.8	7.8	50	52.6	56.2	14.5	10.5	37	09 67 037 0613	08-04																																																																																								
<b>UL 94 V0</b> grey thermoplastic	for male connector			9			<table border="1"><thead><tr><th></th><th>A</th><th>B</th><th>C</th><th>D</th></tr></thead><tbody><tr><td>9</td><td>17.7</td><td>21.8</td><td>13.2</td><td>9.1</td></tr><tr><td>15</td><td>26.0</td><td>30.0</td><td>13.2</td><td>9.1</td></tr><tr><td>25</td><td>40.0</td><td>44.2</td><td>13.2</td><td>9.1</td></tr><tr><td>37</td><td>56.4</td><td>59.8</td><td>13.2</td><td>9.1</td></tr><tr><td>50</td><td>53.9</td><td>57.8</td><td>15.9</td><td>11.7</td></tr></tbody></table>		A	B	C	D	9	17.7	21.8	13.2	9.1	15	26.0	30.0	13.2	9.1	25	40.0	44.2	13.2	9.1	37	56.4	59.8	13.2	9.1	50	53.9	57.8	15.9	11.7																																																																																																																																									
							A	B	C	D																																																																																																																																																																				
				9			17.7	21.8	13.2	9.1																																																																																																																																																																				
				15			26.0	30.0	13.2	9.1																																																																																																																																																																				
			25	40.0	44.2		13.2	9.1																																																																																																																																																																						
	37		56.4	59.8	13.2	9.1																																																																																																																																																																								
	50		53.9	57.8	15.9	11.7																																																																																																																																																																								
	15		09 67 015 0613	for female connector	9	09 67 009 0713	15	09 67 015 0713	25	09 67 025 0713	37	09 67 037 0713	50	09 67 050 0713																																																																																																																																																																
	25		09 67 025 0613			<table border="1"><thead><tr><th></th><th>A</th><th>B</th><th>C</th><th>D</th></tr></thead><tbody><tr><td>9</td><td>15.9</td><td>20.0</td><td>11.8</td><td>7.8</td></tr><tr><td>15</td><td>24.4</td><td>28.5</td><td>11.8</td><td>7.8</td></tr><tr><td>25</td><td>38.3</td><td>42.3</td><td>11.8</td><td>7.8</td></tr><tr><td>37</td><td>54.7</td><td>58.8</td><td>11.8</td><td>7.8</td></tr><tr><td>50</td><td>52.6</td><td>56.2</td><td>14.5</td><td>10.5</td></tr></tbody></table>		A	B	C	D	9	15.9	20.0	11.8	7.8	15	24.4	28.5	11.8	7.8	25	38.3	42.3	11.8	7.8	37	54.7	58.8	11.8	7.8	50	52.6	56.2	14.5	10.5																																																																																																																																										
		A	B			C	D																																																																																																																																																																							
9	15.9	20.0	11.8			7.8																																																																																																																																																																								
15	24.4	28.5	11.8			7.8																																																																																																																																																																								
25	38.3	42.3	11.8	7.8																																																																																																																																																																										
37	54.7	58.8	11.8	7.8																																																																																																																																																																										
50	52.6	56.2	14.5	10.5																																																																																																																																																																										
37	09 67 037 0613	08-04																																																																																																																																																																												
08-04																																																																																																																																																																														

D-Sub-A

## Accessories

Identification	No. of contacts	Part No.	Drawing	Dimensions in mm																														
Dust cap metallized thermoplastic	for male connector	9	09 67 009 0614	<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>17.7</td> <td>21.8</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>15</td> <td>26.0</td> <td>30.0</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>25</td> <td>40.0</td> <td>44.2</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>37</td> <td>56.4</td> <td>59.8</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>50</td> <td>53.9</td> <td>57.8</td> <td>15.9</td> <td>11.7</td> </tr> </tbody> </table>		A	B	C	D	9	17.7	21.8	13.2	9.1	15	26.0	30.0	13.2	9.1	25	40.0	44.2	13.2	9.1	37	56.4	59.8	13.2	9.1	50	53.9	57.8	15.9	11.7
			A		B	C	D																											
		9	17.7		21.8	13.2	9.1																											
		15	26.0		30.0	13.2	9.1																											
		25	40.0		44.2	13.2	9.1																											
	37	56.4	59.8		13.2	9.1																												
	50	53.9	57.8		15.9	11.7																												
	15	09 67 015 0614																																
	25	09 67 025 0614																																
	37	09 67 037 0614																																
50	09 67 050 0614																																	
for female connector	9	09 67 009 0714	<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>15.9</td> <td>20.0</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>15</td> <td>24.4</td> <td>28.5</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>25</td> <td>38.3</td> <td>42.3</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>37</td> <td>54.7</td> <td>58.8</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>50</td> <td>52.6</td> <td>56.2</td> <td>14.5</td> <td>10.5</td> </tr> </tbody> </table>		A	B	C	D	9	15.9	20.0	11.8	7.8	15	24.4	28.5	11.8	7.8	25	38.3	42.3	11.8	7.8	37	54.7	58.8	11.8	7.8	50	52.6	56.2	14.5	10.5	
		A		B	C	D																												
	9	15.9		20.0	11.8	7.8																												
	15	24.4		28.5	11.8	7.8																												
	25	38.3		42.3	11.8	7.8																												
37	54.7	58.8	11.8	7.8																														
50	52.6	56.2	14.5	10.5																														
15	09 67 015 0714																																	
25	09 67 025 0714																																	
37	09 67 037 0714																																	
50	09 67 050 0714																																	
metallized thermoplastic with chain	for male connector	9	09 67 009 0615	<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>17.5</td> <td>19.6</td> <td>11.1</td> <td>9.2</td> </tr> <tr> <td>15</td> <td>25.7</td> <td>27.8</td> <td>11.1</td> <td>9.2</td> </tr> <tr> <td>25</td> <td>39.6</td> <td>41.8</td> <td>11.1</td> <td>9.2</td> </tr> <tr> <td>37</td> <td>55.7</td> <td>57.4</td> <td>11.1</td> <td>9.2</td> </tr> <tr> <td>50</td> <td>53.4</td> <td>55.3</td> <td>13.8</td> <td>11.9</td> </tr> </tbody> </table>		A	B	C	D	9	17.5	19.6	11.1	9.2	15	25.7	27.8	11.1	9.2	25	39.6	41.8	11.1	9.2	37	55.7	57.4	11.1	9.2	50	53.4	55.3	13.8	11.9
			A		B	C	D																											
		9	17.5		19.6	11.1	9.2																											
		15	25.7		27.8	11.1	9.2																											
		25	39.6		41.8	11.1	9.2																											
	37	55.7	57.4		11.1	9.2																												
	50	53.4	55.3		13.8	11.9																												
	15	09 67 015 0615																																
	25	09 67 025 0615																																
	37	09 67 037 0615																																
50	09 67 050 0615																																	
for female connector	9	09 67 009 0715	<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>16.2</td> <td>18.0</td> <td>9.6</td> <td>7.8</td> </tr> <tr> <td>15</td> <td>24.6</td> <td>26.4</td> <td>9.6</td> <td>7.8</td> </tr> <tr> <td>25</td> <td>38.4</td> <td>40.2</td> <td>9.6</td> <td>7.8</td> </tr> <tr> <td>37</td> <td>54.4</td> <td>56.2</td> <td>9.6</td> <td>7.8</td> </tr> <tr> <td>50</td> <td>52.0</td> <td>53.7</td> <td>12.2</td> <td>10.4</td> </tr> </tbody> </table>		A	B	C	D	9	16.2	18.0	9.6	7.8	15	24.6	26.4	9.6	7.8	25	38.4	40.2	9.6	7.8	37	54.4	56.2	9.6	7.8	50	52.0	53.7	12.2	10.4	
		A		B	C	D																												
	9	16.2		18.0	9.6	7.8																												
	15	24.6		26.4	9.6	7.8																												
	25	38.4		40.2	9.6	7.8																												
37	54.4	56.2	9.6	7.8																														
50	52.0	53.7	12.2	10.4																														
15	09 67 015 0715																																	
25	09 67 025 0715																																	
37	09 67 037 0715																																	
50	09 67 050 0715																																	



D-Sub - A